

Headin' Home



Quilt design by Deborah G. Stanley

51-1/2" x 51-1/2"

Elizabeth's Studio, LLC

440 S. Main Street, Milltown, New Jersey 08850

732-651-4115 www.elizabethsstudio.com

2017: Elizabeth's Studio LLC—All rights reserved

Fabric Requirements:

(Featured Fabrics are from the **Headin' Home** collection by **Billy Jacobs** for Elizabeth's Studio, LLC)

4707 Sepia (blocks)—1-1/3 yard

4708 Snow (overall)—1/4 yard

357 Gray (barnwood)—1 yard

357 Antique White (barnwood)—1-3/4 yards

357 Red (barnwood)—1-1/3 yards


357 Red (barnwood)—5/8 yard for binding

Backing Fabric: 3-1/4 yards

Batting: for 51-1/2" x 51-1/2" quilt

CUTTING NOTE:

In order to preserve the up-and-down direction of the barnwood fabrics in this quilt, all half-square triangles need to be carefully cut. Squares should be stacked with the "grain" facing up-and-down, then cut half of the squares in one direction and half in the other direction.



Cutting:

4707 Sepia (blocks): Fussy cut (9) 9" barn blocks, centering motifs.

4708 Snow (overall): Fussy cut (4) 4-1/2" squares, orienting the squares on the diagonal and centering motifs as desired.



357 Gray (barnwood): Cut (4) 3-3/4" x WOF (width of fabric) strips, cross cut into (32) 3-3/4" squares. Cut the squares once on the diagonal to form 64 half-square triangles, cutting 16 squares in one direction and 16 opposite.



Cut (1) 9-3/8" x WOF strip, cross cut into (2) 9-3/8" squares. Cut these squares once diagonally to form (4) half-square triangles, cutting 1 square in each direction.




357 Antique White (barnwood): Cut (4) 7" x WOF strips. From these, fussy cut (24) 4-1/2" squares, orienting the squares on the diagonal to keep the wood grain up-and-down.



Cut (2) 7" x WOF, cross cut into (6) 7" squares. Cut these squares twice diagonally to form (24) quarter-square triangles.




Cut (2) 3-3/4" x WOF strips, cross cut into (16) 3-3/4" squares. Cut these squares once diagonally to form (32) half-square triangles, cutting 8 squares in each direction.



357 Red (barnwood): Cut (3) 9-3/4" x WOF, cross cut into (9) 9-3/4" squares. Cut squares twice on the diagonal to form (36) quarter square triangles.



Cut (2) 3-3/4" x WOF strips, cross cut into (16) 3-3/4" squares. Cut these squares once on the diagonal to form (32) half-square triangles, cutting 8 squares in each direction.



357 Red (barnwood): Cut (6) 2-1/2" x WOF strips for binding, set aside.

Square-in-a-Diamond Block (make 9):



Sew together (4) **357 Red (barnwood)** 9-3/4" quarter-square triangles and (1) fussy-cut 9" **4707 Sepia** block to form square-in-a-diamond block, keeping the barnwood grain oriented in the up-and-down direction.

TIP: Because the blocks are "on point", it can be tricky to maintain the up-and-down orientation of the blocks and barnwood triangles. It may be helpful to use a design wall for layout of each triangle unit and completed block prior to assembly.

Star Blocks (make 4):



Assemble (4) Diamond-in-a-square center units, by adding (4) 3-3/4" **357 Red (barnwood)** half-square triangles to each fussy-cut 4-1/2" **4708 Snow (overall)** square.



Assemble (8) top and bottom sections by adding 3-3/4" **357 Gray** half-square triangles and 3-3/4" **357 Antique White** half-square triangles to fussy-cut 4-1/2" **357 Antique White** squares.



Repeat steps to add 3-3/4" **357 Gray** half-square triangles to fussy-cut 4-1/2" **357 Antique White** squares for (8) side units.



Sew together the Diamond-in-a-Square units, top, bottom and side units to complete (4) star blocks.



Half-Star Blocks (make 4 top/bottom and 4 side units):

Repeat above steps, using remaining **357 Antique White** fussy-cut 4-1/2" squares, **357 Antique White** 3-3/4" half-square triangles, **357 Antique White** 7" quarter-square triangles, **357 Gray** 3-3/4" half-square triangles and **357 Red** 3-3/4" half-square triangles to form rows, then half-star triangle blocks.



Assembling the Quilt Top:

Assemble the Rows:

Sew the blocks, half-star blocks, and **357 Gray** 9-3/8" half-square corner triangles into rows. Again, be careful to keep the proper orientation.

Complete the Center Section:

Sew the rows together to complete quilt top, taking care not to stretch the edges.



Finishing the Quilt:

Layer quilt top, batting and backing and quilt as desired. Use reserved 2-1/2" x WOF **357 Red (barnwood)** strips to bind quilt.

